



Department of Energy

Idaho Operations Office
850 Energy Drive
Idaho Falls, Idaho 83401-1563

November 22, 1994

Mr. Wayne Pierre, Chief
Federal Facilities Superfund Branch
U. S. Environmental Protection Agency
Region 10, HW-124
1200 Sixth Avenue
Seattle, WA 98101

Mr. Dean Nygard, INEL Technical Supervisor
Idaho Department of Health and Welfare
Division of Environmental Quality
Community Programs
1410 N. Hilton
Boise, ID 83706

SUBJECT: Transmittal of Fourth Track 2 PSP for OU 4-09 - (OPE-ER-305-94)

Dear Mr. Pierre and Mr. Nygard:

You will find enclosed the subject Preliminary Scoping Package (PSP) for the Track 2 investigation of Operable Unit (OU) 4-09; site Central Facilities Area (CFA)-46 at the Idaho National Engineering Laboratory (INEL). This is the fourth of four PSPs for this OU. This OU consists of potential spill sites at a Transformer Yard, Pump Station, Tank Farm Pump Station, and CFA Cafeteria Oil Tank (actual spill).

This PSP is provided for your review in preparation for the OU 4-09 Track 2 scoping meeting scheduled for Monday, December 5, 1994. No formal comments are required, but any concerns should be raised at your earliest convenience or at the scoping meeting. Copies (one each) of this PSP were sent to the WAG-4 Managers from EPA (Howard Blood) and IDHW (Shawn Rosenberger) under separate cover on November 15.


Mr. Pierre
Mr. Nygard

-2-

November 22, 1994

If you have any questions regarding this matter or desire additional copies of the enclosure, then please contact me at (208) 526-0417 or Alan J. Dudziak of my staff at (208) 526-7027.

Sincerely,

A handwritten signature in cursive script, reading "Lisa A. Green".

Lisa A. Green, Manager
Environmental Restoration Program

Enclosure

cc: H. Blood, EPA, 1200 Sixth Avenue, Seattle, WA 98101 (additional copy)
S. Rosenberger, IDHW, 900 North Skyline, Idaho Falls, ID 83402 (additional copy)
G. Ellis, EM-441, 153/TREV, 19901 Germantown Road, Germantown, MD 20874
Mr. Dean Nygard, IDHW, 1410 N. Hilton, Boise, ID 83706 (2 additional copies)
ARDC File, MS-3904 (w/o)

This document transmits copies for review, comment, or approval. When attachments are in draft form for review or approval, they are not required. Comments on drafts are also not required.

Initial BAB Date 11/28/94